### Updated Risk Assessments to minimise the risk of being exposed to Covid-19- MARCH 2021

The process involved consultation with all school staff.

#### Risk Assessment for Cahir National School Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in Cahir National School to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for St. Projects in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A risk is the likelihood that someone will be harmed by a hazard and the severity of that harm.

#### **Control measures:**

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

#### **Control measure principles:**

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

## Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Injury and damage to property	3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

## Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	1

### **Risk Rating**

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the
	If an incident were to occur, it would be likely	risk. Risk reduction measures should be implemented urgently within a
	that an injury requiring medical treatment would	defined time period and it might be necessary to consider suspending or
	result.	restricting the activity or to apply interim control measures until this has been
		completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as
	some chance that an injury requiring First Aid	required to ensure they remain suitable and sufficient.
	treatment would result	
1-5	Trivial or Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would result	rating and that controls are maintained.

\*Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected? Identified Risks		, Education and Training	Risk Rating with controls	Action implementation
StaffSpread of Covid-19 virusPersonscurrentlydeemedmost at risk of complications ifthey catch the coronavirus are:• 60 years of age and over• have long-termmedicalconditions – i.e. heart disease,lungdisease,highbloodpressure, diabetes or cancer• pregnant womenKnownKnowneffectsofthe coronavirus:• A fever (high temperature of 37.5 degrees Celsius or above)• A cough - this can be any kind of cough, not just a dry cough• Shortness• Loss of sense of smell• Loss of sense of sate• Death	<ul> <li>and mitigation of Covid-19 following This plan will highlight the measure safety of staff in re-opening and mod school.</li> <li>The staff representative(s) will be pri implementing the action plan for the within the school and all staff will be introduced, using specific risk co approaches.</li> <li>The Board of Management will: <ul> <li>✓ Ensure that all staff receive nece</li> <li>✓ Provide posters, information and awareness of Covid-19 among st</li> <li>✓ Promote safe individual practices</li> <li>✓ Engage with staff in providing fea- their effectiveness</li> <li>✓ Provide regular information ab sources, such as government ag Health Organisation</li> <li>✓ Emphasise the effectiveness of a good personal hygiene</li> </ul> </li> </ul>		Negligible	Board of Management Principal Staff
	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furthe16-25Emergency riskHalt activity and review in		ntrol
Assessment Date: Jan, 2021		Assessor's Name:		

Who may be affected?	Identified Risks	<b>Hygiene</b> Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	cough, not just a dry cough	Controls         The BoM will ensure that all staff can wash their hands regularly. Water and appropriate santitisers (i.e. hand gel dispensers, etc.) will be available throughout the school. Staff should: <ul> <li>Wash their hands properly and often. Hands should be washed:                 <ul></ul></li></ul>		Board of Management Principal Staff Visitors
<u>Risk Level Calcula</u> (a) Severity of risk (b) Likelihood of e (c) Risk Rating = (a	/injury 1=trivial, 2=slight, 3=mode vent 1=rare, 2=unlikely, 3=likely	rate, 4=major, 5=fatality 1-5 Trivial risk Acceptable		ntrol
Assessment Date:	Jan, 2021	Assessor's Name:		

Who may be affected?	Identified Risks	Hygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>The Board of Management will ensure that:</li> <li>Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds).</li> <li>Appropriate social distancing markings are in place</li> <li>Necessary PPE is available to staff</li> <li>Standard cleaning and maintenance regimes are put in place and detailed records retained</li> <li>Toilet facilities are cleaned regularly</li> <li>All drinking water facilities will be shut down</li> <li>Equipment sharing is minimised. Staff are encouraged not to share equipment</li> <li>There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags)</li> <li>All school equipment is sanitised – cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people</li> <li>Covid compliant work areas to be available where social distancing guidelines can be applied</li> <li>There is staggered use of canteen/kitchen or other communal facilities</li> <li>Bins are provided for disposal of waste materials (tissues, paper towels, wipes, etc.) and that adequate waste collection arrangements to be put in place to ensure they do not overflow</li> <li>All waste collection points are emptied regularly throughout and at the end of each day.</li> <li>Staff use gloves when removing rubbish bags or handling and disposing of any</li> <li>Rubbish and they wash hands with soap and water for at least 20 seconds afterwards</li> <li>Staff will be encouraged to download the Covid Tracker App.</li> </ul>	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculatic (a) Severity of risk/i (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=moderate, 4 ent 1=rare, 2=unlikely, 3=likely, 4=ver			
Assessment Date:	Jan, 2021	Assessor's Name:		

Who may be affected?	Identified Risks	Social Distancing Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of cance of small	<ul> <li>school, use of welfare facilities and while working in the school</li> <li>physical spacing (2 metres apart currently) for work stations and common spaces, such as entrances/exits, lifts, kithchen areas, canteens, stairs, where congregation or queuing of staff, or students of visitors might occur</li> <li>Break times will be staggered and school supervision procedures must be strictly adhered to</li> <li>Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds)</li> <li>Appropriate social distancing arangements will be in place throughout the facility</li> <li>Meetings of staff will take place online and by using teleconferencing facilities or with social distance goals.</li> <li>There is currently a strict no handshaking policy in place within the school</li> <li>All staff, contractors and visitors should avoid direct physical contact with any other persons as far as possible</li> <li>Staff have been informed of the Ventilation Procedures of the school.</li> </ul>	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculation (a) Severity of risk/inju (b) Likelihood of event (c) Risk Rating = (a) X (	t 1=rare, 2=unlikely, 3=likely, 4=			
Assessment Date: Ja	an, 2021	Assessor's Name:		

Who may be affected?	Identified Risks		eaning ontrols	Risk Rating with controls	Action implementation
Staff especially cleaning staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>items handled at work or during break have bring to work (e.g. mobile phone surfaces or they will need to clean the Cleaning staff will be trained in the new</li> <li>Sufficient cleaning materials and PPE w</li> <li>Cleaning staff will be instructed to wea to wash their hands thoroughly with gloves</li> <li>System in place for the disposable of Current HSE guidance recommends w person suspected of having Covid-19 s area for 72 hours before being present</li> <li>System in place to make sure reusable of disposable cloths are clean before re-u</li> </ul>	onal items that have been brought to work and s. Staff advised to clean personal items that they s) and to avoid leaving them down on communal surface after the personal item is removed v cleaning arrangements for the school vill be available to allow for increased cleaning r gloves when cleaning and are aware of the need soap and water, both before and after wearing cleaning cloths and used wipes in a rubbish bag aste such as cleaning waste, tissues etc. from a should be double bagged and stored in a secure ed for general waste collection cleaning equipment including mop heads and non- se ent such as buckets are emptied and cleaned with	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/i (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik X (b)	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review in		ntrol
Assessment Date:	Jan, 2021		Assessor's Name:	nmediately	

Who may be affected?	Identified Risks		ministration areas	Risk Rating with controls	Action implementation
Staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>designated workstations and staff</li> <li>The number of employees permitted to</li> <li>Gloves and Sanitizers will be provided f</li> </ul>	e the maintenance of physical distancing between o work in the office at any particular time is two. For people entering and exiting the building.	Requires monitoring	Board of Management Principal Administration staff
Risk Level Calculation(a) Severity of risk/injury1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality(b) Likelihood of event1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable(c) Risk Rating = (a) X (b)		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review in		ntrol	
Assessment Date:	Jan 2021		Assessor's Name:		

Who may be affected?	Identified Risks	Use of PPE Controls		Risk Rating with controls	Action implementation
Staff	<ul> <li>they catch the coronavirus are:</li> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> <li>Known effects of the coronavirus:</li> <li>A fever (high temperature of 37.5 degrees Celsius or above)</li> <li>A cough - this can be any kind of cough, not just a dry cough</li> <li>Shortness of breath or breathing difficulties</li> <li>Loss of sense of smell</li> </ul>	The correct use of Personal Protective Equipment (PPE) will be required in to address identified risks of spread of the virus. Where PPE is required by staff, they will be notified accordingly and be necessary PPE and provided with training and information in the proper us and disposal of PPE. PPE needs to be consistently and properly worn when required. In a regularly inspected, cleaned, maintained and replaced as necessary. PPE is required to be worn within the school facility according to current public health guidance. Current general guidance from the HSE in relation to the wearing of face c gloves is available at the following Link: <a href="https://www2.hse.ie/condition:masks-disposable-gloves.html">https://www2.hse.ie/condition:masks-disposable-gloves.html</a> Medical Grade Face Masks will be provided to all staff and staff will be instr Gloves are not required generally within the workplace for infection pre purposes according to current guidance. Due to the risks associated with the Board of Management will not be providing gloves to staff for general *Face coverings are not recommended to be worn by children under 13 ye	be provided with the use, cleaning, storage addition, it must be ent occupational and coverings, masks and ns/coronavirus/face- tructed to wear them. revention and control in the usage of gloves, al use.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation(a) Severity of risk/injury1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality(b) Likelihood of event1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable(c) Risk Rating = (a) X (b)		ly, 4=very likely, 5=inevitable 6-10 Medium risk Requ	eptable quires monitoring uires immediate furthe t activity and review im		trol
Assessment Date:	Jan, 2021	Assessor's Name:			

Who may be affected?	Identified Risks	Handling books and other resources during Covid-19		Action implementation
		Controls		
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	<ul> <li>Maintain physical distancing (currently 2 metres)</li> <li>Observe good hygiene (hand washing and respiratory etiquette, do touch your eyes, nose, mouth with unwashed hands, etc.) before a after handling books and other materials returned to the school</li> </ul>	nat he g in Requires monitoring ind of ing irs. are ine om hay	Board of Management Principal Staff
<u>Risk Level Calculatio</u> (a) Severity of risk/ii (b) Likelihood of eve (c) Risk Rating = (a) 3	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Actionoderate, 4=major, 5=fatality1-5Trivial riskAcceptableely, 4=very likely, 5=inevitable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate f	where entire and co	

			16-25 Emergency risk Halt activity and review ir	nmediately	
Assessment Date:	Jan, 2021		Assessor's Name:		
Who may be affected?	Identified Risks		ools or equipment ontrols	Risk Rating with controls	Action implementation
All staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>Arrangements should be put in place f and machinery as far as is reasonably</li> <li>Cleaning material will be available so between each use</li> </ul>	erly sanitised to prevent cross contamination or one individual to use the same tool, equipment	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/ii (b) Likelihood of even (c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mod ent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality ly, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review ir		ntrol

Who may be affected?	Identified Risks		pected case of Covid-19 ontrols	Risk Rating with controls	Action implementation
Staff Pupils Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>and the route to the designated are reasonable and practicable, should be</li> <li>✓ The possibility of having more than or considered so the additional isolation would be important that the designate a closed door and away from other wo</li> <li>If a person displays symptoms of Covid-19 for a looked the person and have a proceed designated isolation area via the isolation the symptomatic person and also makin 2 metres from the symptomatic person preser should wear the mask if in a common premises.</li> <li>✓ Assess whether the individual who is d to go home and call their doctor and call the immediately go home and facilitate the person presenting with symptoms to cover the symptom symptom symptoms to cover the symptom symptoms to cover the symptoms to cover the symptoms to cover the symptoms to cover the symptom symptom symptoms to cover the symptom symptoms to cover the symptom symptoms to cover the symp</li></ul>	the person displaying signs of Covid-19 has been area is the Resource Room beside the office. It d area has the ability to isolate the person behind rkers the following procedure is to be implemented: ure in place to accompany the individual to the tion route, keeping at least 2 metres away from ng sure that others maintain a distance of at least n at all times. Thing with symptoms if one is available. He/she on area with other people or while exiting the isplaying symptoms can immediately be directed	Requires monitoring	Board of Management Principal Staff
<u>Risk Level Calculatic</u> (a) Severity of risk/i (b) Likelihood of eve (c) Risk Rating = (a)	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review in		ntrol
Assessment Date:	Jan, 2021		Assessor's Name:		

Staff Pupils Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are:	family member, as soon as possible an	ne, arrange for them to be transported home by a Id advise them to inform their general practitioner		Board of Management
	<ul> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> <li>Known effects of the coronavirus:</li> <li>A fever (high temperature of 37.5 degrees Celsius or above)</li> <li>A cough - this can be any kind of cough, not just a dry cough</li> <li>Shortness of breath or breathing difficulties</li> <li>Loss of sense of smell</li> <li>Loss of sense of taste or distortion of sense of taste</li> <li>Death</li> </ul>	<ul> <li>If they are too unwell to go home or a them that the sick person is a Covid-1</li> <li>Carry out an assessment of the incide actions and recovery.</li> </ul>	ransport of any kind should not be used advice is required, contact 999 or 112 and inform 9 suspect. Int which will form part of determining follow-up the isolation area and work areas involved.	Requires monitoring	Principal Staff
Risk Level Calculati (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a) Assessment Date:	injury 1=trivial, 2=slight, 3=mod ent 1=rare, 2=unlikely, 3=likel X (b)	erate, 4=major, 5=fatality y, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review imAssessor's Name:Assessor's Name:		itrol

Who may be affected?	Identified Risks		19 cleaning ontrols	Risk Rating with controls	Action implementation
Staff Pupils Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>suspected coronavirus (Covid-19) case. infection on to other people</li> <li>The area should be kept closed and secu amount of virus living on surfaces will ha</li> <li>For cleaning purposes, wear a face mask, be double-bagged, then stored securely rubbish after cleaning is finished should be double-bagged,</li> <li>Using a disposable cloth, first clean hard disinfect these surfaces with the clean attention to frequently touched areas and and door handles</li> <li>If an area has been heavily contaminated person with coronavirus (Covid-19) cons nose, as well as wearing gloves and apron</li> <li>Wash hands regularly with soap and wat aprons and other protection used while of Public areas where a symptomatic individ time, such as corridors, but which are no cleaned as normal</li> <li>All surfaces that the symptomatic person</li> </ul>	a normal household disinfectant after a This wil reduce the risk of passing the ure for 72 hours (if possible) for cleaning as the ove reduced significantly by 72 hours , disposable or washing up gloves. These should y for 72 hours and then put with the regular surfaces with warm soapy water. Then ing products you normally use. Pay particular d surfaces, such as toilets, banisters on stairwells d, such as with visible bodily fluids, from a sider using protection for the eyes, mouth and n there for 20 seconds and after removing gloves,	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation         (a) Severity of risk/injury       1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality         (b) Likelihood of event       1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable         (c) Risk Rating = (a) X (b)       Assessment Date:		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate furth16-25Emergency riskHalt activity and review irAssessor's Name:Assessor's Name:		ntrol	

Who may be affected?	Identified Risks		ected/confirmed case of Covid-19 ontrols	Risk Rating with contls	Action implementation
Staff Pupils Visitors	<ul> <li>most at risk of complications if they catch the coronavirus are:</li> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> <li>Known effects of the coronavirus:</li> </ul>	floors, chairs, door handles and sanitary fittin disinfectant in line with the manufacturer's in Disinfectants used should be effective agains <b>Additionally:</b> Avoid creating splashes and spray when clean Any cloths and mop heads used must be dispo- below. When items cannot be cleaned using det mattresses for example) steam cleaning should Any items that have been heavily contaminat washing should be disposed of If possible, keep an area closed off and secure	se disposable cloths or paper roll and disposable mob heads to clean all hard surface bors, chairs, door handles and sanitary fittings, using an approved and recognised detergent a isinfectant in line with the manufacturer's instructions for dilution, aplication and contact time isinfectants used should be effective against viruses. <b>dditionally:</b> void creating splashes and spray when cleaning. ny cloths and mop heads used must be disposed of and should be put into waste bags as outlin elow. /hen items cannot be cleaned using detergents or laundered (upholstered furniture hattresses for example) steam cleaning should be used ny items that have been heavily contaminated with bodyfluids and that cannot be cleaned		Board of Management Principal Cleaning staff
Risk Level Calculation         (a) Severity of risk/injury       1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality         (b) Likelihood of event       1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable         (c) Risk Rating = (a) X (b)       Assessment Date:		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review imAssessor's Name:Acceptable		ntrol	

Who may be affected?	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19 (continued) Controls		Risk Rating with controls	Action implementation
Staff Pupils Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	<ul> <li>Wash items in accordance with the manufact water setting and dry items completely. Dirt an unwell person can be washed with other laundry as this minimises the possibility of a</li> <li>Clean and disinfect anything used for transpin line with the cleaning guidance outlined a</li> <li>Waste Management</li> <li>Waste should be put in a plastic rubbish bag</li> <li>The plastic bag should then be placed in a set in the value of the placed in a set individual's test results are known</li> <li>All waste should be stored safely and kept a waste in communal waste areas until negat has been stored for at least 72 hours</li> <li>If the individual tests negative, the waste ca individual tests positive, then store it for at waste</li> </ul>	y laundry that has been in contact with people's items. Do not shake dirty lispersing the virus through the air orting laundry with your usual products, above and tied when full econd bin bag and tied ce and marked for storage until the way from children. You should not put ve test results are known or the waste n be put in with the normal waste. If the	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculatio (a) Severity of risk/in (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	derate, 4=major, 5=fatality1-5ely, 4=very likely, 5=inevitable6-1011-1511-15	vel Action Trivial risk Acceptable Medium risk Requires monitoring Severe risk Requires immediate furth Emergency risk Halt activity and review ir		ntrol
Assessment Date:	Jan, 2021	Assesso	or's Name:		

Who may be affected?	Identified Risks	Travel to and from work Controls		Action implementation
Staff	<ul> <li>Spread of Covid-19 virus</li> <li>Persons currently deemed most at risk of complications if they catch the coronavirus are:</li> <li>60 years of age and over</li> <li>have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer</li> <li>pregnant women</li> </ul>	<ul><li>(c) if they have travelled outside of Ireland; in such instances staff are advised to consult and follow latest Government advice in relation</li></ul>	Requires monitoring	All staff
	Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	Wherever possible, staff should travel to work alone using their own means of transport – staff should not share transport to or from work. If availing of public transport, sit down to minimise contact with frequently touched surfaces, handles,roofstraps,isolation bars, etc. Wear a face mask and carry hand santiser (at least 60% alcohol) and use it regularly throughout your journey.		

Risk Level Calculation(a) Severity of risk/injury1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality(b) Likelihood of event1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable(c) Risk Rating = (a) X (b)		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further action and control16-25Emergency riskHalt activity and review immediately		ntrol
Assessment Date:	Jan, 2021	 Assessor's Name:		
Who may be affected?	Identified Risks	d picking up of pupils ontrols	Risk Rating with controls	Action implementation

Bus and taxi drivers Wider Community Mider Community Bus and taxi drivers Mider Community Mider Community Bus and taxi drivers Mider Community Bus and taxi drivers Mider Community Mider Community Mider Community Bus and taxi drivers Mider Community Mider Community Bus and taxi drivers Mider Community Bus and taxi drivers Mider Community Bus and taxi drivers Bus and taxi drivers Bus and taxi drivers Bus and taxi drivers Mider Community Bus and taxi drivers Bus and over Bus and over Bus and over Bus and over Bus and over Bus and over Bus and taxi drivers Bus and over Bus and taxi drivers Bus	to maintain, as far as is reasonably drivers/parents/guardians and all school st Parents/guardians will be encouraged to w		Board of Management Principal Staff Bus and taxi drivers Requires monitoring
<ul> <li>A fever (high temperature of 37.5 degrees Celsius or above)</li> <li>A cough - this can be any kind of cough, not just a dry cough</li> <li>Shortness of breath or breathing difficulties</li> <li>Loss of sense of smell</li> <li>Loss of sense of taste or distortion of sense of taste</li> <li>Death</li> </ul>			
Risk Level Calculation	<u> </u>	Risk Level Action	
	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring	
(c) Risk Rating = (a) X (b)		11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review implicit	
Assessment Date: Jan, 2021		Assessor's Name:	

Who may be affected?	Identified Risks	Visitors to school	Risk Rating	Action implementation
		Controls	with controls	

PupilsWider CommunityPersonscurrentlydeeme most at risk of complications they catch the coronavirus are • 60 years of age and over • have long-term medica conditions – i.e. heart disease lung disease, high bloo pressure, diabetes or cancer • pregnant womenKnowneffectsof th coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kin of cough, not just a dry cough • Shortness of breath of breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	f Visits to the school will be severely restricted Make a prior appointm Remain at home if they Follow the agreed Covid Sanitise before entering Attendance to be recor Wear PPE if instructed Adhere to social distant Adhere to social distant Not to loiter – complete f	ent before visiting the school have any Covid-19 symptoms d-19 protocols for the school g the premises ded on entry to building	Requires monitoring	Principal
	oderate, 4=major, 5=fatality kely, 4=very likely, 5=inevitable	Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review immediate		ntrol

Who may be affected?	Identified Risks	Management of deliv	eries and supplies to school	Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women	All deliveries to be planned with allocated times for collections and deliveries Arrangements to be made for paperless deliveries System to be agreed with suppliers to ensure reconciliations are accurate		Requires monitoring	Board of Management Principal Staff Delivery personnel
	Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death				
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X	njury 1=trivial, 2=slight, 3=moder nt 1=rare, 2=unlikely, 3=likely,		Risk Level Action1-5Trivial riskAcceptable6-10Medium riskRequires monitoring11-15Severe riskRequires immediate further16-25Emergency riskHalt activity and review in		ntrol
Assessment Date: Jan, 2021			11 15 Sector fish       Requires inificance faither action and control         16-25 Emergency risk       Halt activity and review immediately         Assessor's Name:		

# **Declaration of Sight**

I have read and understand the contents of this document.

Signed:	Dated:
Signed:	_Dated:
Signed:	Dated
Signed:	Dated:
Signed:	_ Dated:
Signed:	_ Dated:
Signed:	_ Dated:
Signed:	_ Dated:

Signed:	_ Dated
Signed:	Dated:
Signed:	Dated:
Signed:	Dated
Signed:	_Dated:
Signed:	_Dated:
Signed:	_ Dated:

Signed:	Dated	
Signed:	Dated:	
51611cu	Buteu:	